



## 6K/8K Series NEW PRODUCT INTRODUCTION

### PRODUCT OVERVIEW

Customers come home to the comfort of a perfect fire with the updated 6K/8K Series gas fireplace. With a 25% larger viewing area and a balance of flame, glow and ambiance, these models offer the look and feel of a traditional fire with the cutting-edge technology of voice control and heat management. Multiple on-trend front styles, choices of interior patterns, and hand-crafted logs make a place in front of the fire their favorite spot in the house.

### POSITIONING

The 6K/8K Series gas fireplaces—models K, KL, KX and Modern (MOD)—are mid-range products in the Heat & Glo lineup of traditional gas fireplaces. The new models will replace the 6000/8000 C, CL, CLX and Modern Models.

PREMIUM



MID-RANGE



ENTRY



**WHAT'S CHANGED**

- 25% Larger viewing area with a cleaner, more flush hearth
- Improved flame and logs, including new Birch logs (Standard for KX, Optional for K and KL)
- Addition of Non-ducted Passive Heat™ Management
- New on-trend fronts and interior panels
- Removal of grate moves flames and fire closer to front opening
- Pre-fogged ember bed media (KX)
- Finishing trim strips come with the unit but not attached
- Removable lower lip (for extra space to access valve and electric)
- Fan installation recommended during fireplace install; if installed afterwards, logs and ember bed must be removed to access
- Component tray for wire management
- Modern unit interior panels now have two-sided glass instead of fluted black glass
- New media color options, now ordered separately from Modern unit
- KL Series will not offer black glass interior panel as standard unit
- New Gun Metal finish option, replacing existing Graphite – Gun Metal is a warmer gray with darker undertones
- New Mantels and shelves to create a beautiful centerpiece for your home



Both the 6K and 8K Series are fully redesigned with a deeper and wider firebox, providing a 25% larger viewing area than the current 6000/8000 Series

**WHAT'S STAYED THE SAME**

- Framing dimensions
- Venting pipe and specifications
- Mantel clearances\*
- Product footprint
- Fireside Finishings mantel and stone fitment
- Sku sizing and offering



\* Portrait Front requires taller mantel clearances or passive heat

**PRODUCT FEATURES**


- 36" or 42" wide viewing area
- Up to 45,000 BTUs (42" KX)
- Enhanced safety with the IntelliFire Touch® ignition system: control with IntelliFire® app, voice control, touchscreen remote control (standard on KL, KX) or wireless wall switch
- Four models with added features and upgrades including Modern (MOD) units
- Log Options:
  - K and KL: Ships with Standard Definition Oak with optional Birch Logs
  - KX: Offers both High Definition Oak and Birch as standard units
- Five interior panel styles
- Six front styles featuring:
  - Both Overlap and Inside Fit finishes
  - Colors: Black, New Bronze and Gun Metal
  - Optional Brushed Plating on Portrait Front : Burnished Brass, Vintage Copper or Satin Nickel
- Virtually invisible anti-reflective ceramic glass for a clear view of the fire (KX and MOD only)
- Non-ducted Passive Heat capability which helps manage heat, puts it where you want it, and lowers mantel clearances
- Optional Variable Speed Fan (standard on KX)
- LED ember bed lighting included standard on KX models
- Back accent lighting included on KL, KX models
- KX products that are standard with black glass liners have no accent lighting
- Dynamic Thermostat: thermostat will automatically adjust flame height based on room temperature setting

**Standard Features Comparison**

	KX	KL	K
Intellifire Touch Wi-Fi Capability	✓	✓	✓
Dynamic Thermostat	✓	✓	✓
Passive Heat Ready	✓	✓	✓
Touchscreen Remote	✓	✓	*
4-Piece Interior Panels	✓	✓	*
LED Accent Lighting	✓	✓	
Variable Speed Fan	✓	*	*
LED Ember Bed	✓		
High Definition Logs	✓		
Anti-Reflective Glass	✓		

\*optional

FRONTS



FOLIO  
Available in Black




STUDIO  
Available in Black, Gun Metal  
and New Bronze




PORTRAIT  
Available in Black with trim in Burnished  
Brass, Vintage Copper or Satin Nickel



LOFT  
Available in Black, Gun Metal  
and New Bronze



CHAPEL  
Available in Black, Gun Metal  
and New Bronze



FORGE  
Available in natural finish

INTERIOR PANELS




SERENE JUTE




CALM UMBER



TRANQUIL GREIGE



REFLECTIVE BLACK  
GLASS\*



MATTE BLACK  
GLASS\*



\* Two-sided interior panel

COMPETITIVE ADVANTAGE SUMMARY

<p><b>Heat &amp; Glo 6/8K vs. IHP Altair</b></p>	<ul style="list-style-type: none"> <li>• Innovative Intellifire Touch control system has more consumer features and is easier to use</li> <li>• RC400 touch screen remote (standard with KL and KX) with optional Wi-Fi</li> <li>• KX and Modern models come with virtually invisible anti-reflective glass</li> <li>• Both sizes offer top/rear venting (IHP 42" is top vent only)</li> <li>• KX includes LED illuminated embers</li> <li>• Fade-resistant reflective black glass interior panels vs. porcelain which fades over time</li> <li>• Competitive pricing at all levels</li> </ul>
<p><b>Heat &amp; Glo 6/8K vs. Napoleon Elevation</b></p>	<ul style="list-style-type: none"> <li>• Innovative Intellifire Touch control system has more consumer features and is easier to use</li> <li>• RC400 touch screen remote (standard with KL and KX) with optional Wi-Fi (vs. Bluetooth)</li> <li>• KX and Modern models come with virtually invisible anti-reflective glass</li> <li>• Competitive pricing at all levels</li> <li>• More refractory options included as fireplaces SKUs</li> </ul>
<p><b>Heat &amp; Glo 6/8K vs. Kozy Heat Carlton</b></p>	<ul style="list-style-type: none"> <li>• Innovative Intellifire Touch control system has more consumer features and is easier to use</li> <li>• RC400 touch screen remote (standard with KL and KX) with optional Wi-Fi</li> <li>• KX and Modern models come with virtually invisible anti-reflective glass</li> <li>• Passive Heat options to manage heat and improve finishing requirements</li> <li>• Both sizes offer top/rear venting (Carlton is top vent only)</li> <li>• KL and KX includes LED accent lighting</li> </ul>

QUOTE AND INSTALLATION CONSIDERATIONS

- Portrait front: Requires taller mantel clearances OR passive heat kit
- Finishing up to the opening of the fireplace may differ from existing, based on larger viewing area
- Fan installation recommended during fireplace install; if installed afterward, logs and ember bed must be removed to access
- Mud board (piece of cardboard to minimize drywall dust penetration); language removed and will direct them to scan QR code that will take them to the manual for these specifics
- For easier access to valve and electronics below ember bed, one-inch bracket is removable from base of unit
- QR Codes for accessory installation manuals
- Passive Heat new to midrange: uniquely designed for these products; non-ducted
- When installing non-standard glass interior panels in KL or KX, accent light needs to be covered or disconnected
- LED Embers now come pre-fogged
- Media is now ordered separately for Modern units

**MANTELS AND SHELVES**

Customers can add a mantel or shelf to help transform their 6/8 Series fireplace into a beautiful centerpiece in their home, with a variety of modern, transitional and traditional designs and colors to choose from to showcase their style. For more information and dimensions, see the Fireside Finishings New Product Introduction Sheet: FSF-0009-0523




**SHELVES**

- Traditional Style
- Available in Primed MDF and Unfinished Maple
- Available in four custom stain options: Ebony, New Gray, Provincial, Whitewash



**CUSTOM STAIN COLORS**



6/8 K-KL-KX SPECIFICATIONS

MODEL	FRONT WIDTH (A)		BACK WIDTH (B)		HEIGHT (C)		DEPTH (D)		VIEWING AREA (E X F)
	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	
6K-KL-KX	41" (1041mm)	42" (1067mm)	28-3/8" (721mm)	42" (1067mm)	40-7/8" (1038mm)	40-1/8" (1019mm)	21-7/16" (545mm)	22" (559mm)	34-1/4" X 24-3/4" (870mm X 629mm)
8K-KL-KX	48-1/16" (1221mm)	49" (1245mm)	35-3/8" (899mm)	49" (1245mm)	42-7/8" (1089mm)	42-1/8" (1070mm)	21-7/16" (545mm)	22" (559mm)	41-1/4" X 26-11/16" (1048 X 678mm)

LEFT VIEW

GAS ACCESS

FRONT VIEW

RIGHT VIEW

ELECTRICAL ACCESS

TOP VIEW

HEAT MANAGEMENT SYSTEMS ACCESS

6/8 MODERN SPECIFICATIONS

MODEL	FRONT WIDTH (A)		BACK WIDTH (B)		HEIGHT (C)		DEPTH (D)		VIEWING AREA (E X F)
	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	
6K MODERN	41" (1041mm)	42" (1067mm)	28-3/8" (721mm)	42" (1067mm)	40-7/8" (1038mm)	40-1/8" (1019mm)	21-7/16" (545mm)	22" (559mm)	34-1/4" X 24-3/4" (870mm X 629mm)
8K MODERN	48-1/16" (1221mm)	49" (1245mm)	35-3/8" (899mm)	49" (1245mm)	42-7/8" (1089mm)	42-1/8" (1070mm)	21-7/16" (545mm)	22" (559mm)	41-1/4" X 26-11/16" (1048mm X 678mm)

LEFT VIEW

GAS ACCESS

FRONT VIEW

RIGHT VIEW

ELECTRICAL ACCESS

TOP VIEW

HEAT MANAGEMENT SYSTEMS ACCESS

Dimensions are in inches and millimeters. Product information is not complete and is subject to change without notice. Product installation must adhere strictly to instructions shipped with product. We recommend measuring individual units at installation. NOTE: Combustible material should not cover the face. Refer to installation manual for detailed specifications on installing this product. Hearth & Home Technologies reserves the right to update units periodically. Actual product appearance, including flame, may differ from product images.

6K SERIES SKU LIST & DESCRIPTIONS

SKU	FIREPLACES
6K	36" 6K Gas Fireplace Top/Rear Vent with IntelliFire Touch ignition (NG)
6K-LP	36" 6K Gas Fireplace Top/Rear Vent with IntelliFire Touch ignition (LP)
6KL-SJ	36" 6KL Gas Fireplace Top/Rear Vent with IntelliFire Touch ignition and Serene Jute stacked brick refractory (NG)
6KL-LP-SJ	36" 6KL Gas Fireplace Top/Rear Vent with IntelliFire Touch ignition and Serene Jute stacked brick refractory (LP)
6KL-TG	36" 6KL Gas Fireplace Top/Rear Vent with IntelliFire Touch ignition and Tranquil Greige herringbone refractory (NG)
6KL-LP-TG	36" 6KL Gas Fireplace Top/Rear Vent with IntelliFire Touch ignition and Tranquil Greige herringbone refractory (LP)
6KX-SJ	36" 6KX Gas Fireplace Top/Rear Vent with IntelliFire Touch ignition and Serene Jute stacked brick refractory (NG)
6KX-LP-SJ	36" 6KX Gas Fireplace Top/Rear Vent with IntelliFire Touch ignition and Serene Jute stacked brick refractory (LP)
6KX-TG	36" 6KX Gas Fireplace Top/Rear Vent with IntelliFire Touch ignition and Tranquil Greige herringbone refractory (NG)
6KX-LP-TG	36" 6KX Gas Fireplace Top/Rear Vent with IntelliFire Touch ignition and Tranquil Greige herringbone refractory (LP)
6KX-TG-BIR	36" 6KX Gas Fireplace Top/Rear Vent with IntelliFire Touch ignition and Tranquil Greige herringbone refractory and Birch Logs (NG)
6KX-BL	36" 6KX Gas Fireplace Top/Rear Vent with IntelliFire Touch ignition and 2 Sided Reflective and Matte Black Glass Liner (NG)
6KX-BL-BIR	36" 6KX Gas Fireplace Top/Rear Vent with IntelliFire Touch ignition and 2 Sided Reflective and Matte Black Glass Liner and Birch Logs (NG)
6KX-CU	36" 6KX Gas Fireplace Top/Rear Vent with IntelliFire Touch ignition and Calm Umber stacked brick refractory (NG)
6KMOD	36" 6K Modern Gas Fireplace Top Vent Only with IntelliFire Touch ignition and 2 Sided Reflective and Matte Black Glass Liner (NG)
SKU	ACCESSORIES - FRONTS
FOLIO-6-BK	36" Folio inside fit front - Black
STUDIO-6-BK	36" Studio overlap front - Black
STUDIO-6-GM	36" Studio overlap front - Gun Metal
STUDIO-6-NB	36" Studio overlap front - New Bronze
PORTRAIT-6-BK	36" Portrait clean face overlap front - Black (Has taller mantel clearances unless Passive Heat is installed)
PORTRIM6-BR	36" Optional plated trim for Portrait front - Burnished Brass
PORTRIM6-CO	36" Optional plated trim for Portrait front - Vintage Copper
PORTRIM6-NI	36" Optional plated trim for Portrait front - Satin Nickel
LOFT-6-BK	36" Loft barn door overlap front - Black
LOFT-6-GM	36" Loft barn door overlap front - Gun Metal
LOFT-6-NB	36" Loft barn door overlap front - New Bronze
CHAPEL-6-BK	36" Chapel arched overlap front - Black
CHAPEL-6-GM	36" Chapel arched overlap front - Gun Metal
CHAPEL-6-NB	36" Chapel arched overlap front - New Bronze
FORGE-6	36" Forge hand crafted overlap front with forged bars and straps, natural finish
SKU	ACCESSORIES - INTERIOR PANELS
BRICK-6K-TG	36" Tranquil Greige Herringbone, 3-piece brick interior panels
BRICK-6K-SJ	36" Serene Jute Stacked Brick, 3-piece brick interior panels
BRICK-6K-CU	36" Calm Umber Stacked Brick, 3-piece brick interior panels
BRICK-6KL-TG	36" Tranquil Greige Herringbone, 4-piece brick interior panels
BRICK-6KL-SJ	36" Serene Jute Stacked Brick, 4-piece brick interior panels
BRICK-6KL-CU	36" Calm Umber Stacked Brick, 4-piece brick interior panels
BRICK-6KX-TG	36" Tranquil Greige Herringbone, 4-piece brick interior panels
BRICK-6KX-SJ	36" Serene Jute Stacked Brick, 4-piece brick interior panels
BRICK-6KX-CU	36" Calm Umber Stacked Brick, 4-piece brick interior panels
GL-36M	36" 2-Sided Reflective and Matte Black Glass Liner for K Series
GL-36MX	36" 2-Sided Reflective and Matte Black Glass Liner for KL and KX Series
SKU	ACCESSORIES - BIRCH LOGS
LOGS-6-BIR	Birch logs for 6K, 6KL, 6KX

## 6K SERIES SKU LIST &amp; DESCRIPTIONS, CONT'D

SKU	6K MODERN MEDIA
MEDIA-CY	Crystal glass media (1 bag = 5lbs) 2 bags for 36", 3 bags for 42"
MEDIA-GT	Graphite glass media (1 bag = 5lbs) 2 bags for 36", 3 bags for 42"
MEDIA-CP	Copper glass media (1 bag = 5lbs) 2 bags for 36", 3 bags for 42"
MEDIA-SM	Smoked glass media (1 bag = 5lbs) 2 bags for 36", 3 bags for 42"
STONES-KMOD	Stone kit for 36" and 42" modern fireplace
LOGS-KMOD	Driftwood log set for 36" and 42" modern fireplace
SKU	ACCESSORIES - HEAT MANAGEMENT
PH-MR	Passive Heat Kit (includes starting collars; requires side or front trim kit below or use open top chase)
PH-SIDETRIM	Passive Heat vent trim for side discharge (includes two side registers; requires PH-MR)
PH-FRITRIM-36	Passive Heat vent trim for front discharge (includes 36" wide Slim Register Cover; requires PH-MR)
HEAT-OUT-GAS	Heat-Out™ kit (includes termination cap, 25' of 6" round duct, fireplace adapter, damper, wall switch and 350CFM fan at termination)
HEAT-ZONE-GAS	Heat-Zone™ kit (includes fan, 20' of 6" round duct, vent, wall adapter and on/off control): Requires HZMR-ADP to complete when not pairing with Passive Heat
HZMR-ADP	Required Adaptor for HEAT-ZONE-GAS when not being paired with Passive Heat
SKU	ACCESSORIES - CONTROL
BATTERY-WSK	Battery backup wall switch kit for units with IntelliFire Touch control systems. Includes: On/Off wall switch, USB-C Port, Battery Backup, Cover Plate, 12' Wire Harness
IFT-WFM	IntelliFire Wi-Fi Module that works with the IntelliFire iOS and Android app. Use to control all the features of your fireplace via a smart device. An RC400 or RC150 is required for thermostat control
IFT-ACM	IntelliFire Touch AUX Module. Must order if adding Fan, Lights or Power Vent and want to use the IFT-WFM. Do not need to order if using IFT-RC400 (includes IFT-ACM).
IFT-RC400	IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicator, lights, on-screen maintenance and troubleshooting notifications)
IFT-RC150-HNG	IntelliFire Touch white wireless wall switch (on/off, cold climate, battery strength indicator)
GFK-160A	Fan kit 160 CFM (includes rheostat and temperature sensor)
GFK-160C	Fan Kit 160 CFM (fan only)
LPK-MID	LP Conversion Kit (cannot be used with modern units)



8K SERIES SKU LIST & DESCRIPTIONS

SKU	FIREPLACES
8K	42" 8K Gas Fireplace Top/Rear Vent with Intellifire Touch ignition (NG)
8K-LP	42" 8K Gas Fireplace Top/Rear Vent with Intellifire Touch ignition (LP)
8KL-SJ	42" 8KL Gas Fireplace Top/Rear Vent with Intellifire Touch ignition and Serene Jute stacked brick refractory (NG)
8KL-LP-SJ	42" 8KL Gas Fireplace Top/Rear Vent with Intellifire Touch ignition and Serene Jute stacked brick refractory (LP)
8KL-TG	42" 8KL Gas Fireplace Top/Rear Vent with Intellifire Touch ignition and Tranquil Greige herringbone refractory (NG)
8KL-LP-TG	42" 8KL Gas Fireplace Top/Rear Vent with Intellifire Touch ignition and Tranquil Greige herringbone refractory (LP)
8KX-SJ	42" 8KX Gas Fireplace Top/Rear Vent with Intellifire Touch ignition and Serene Jute stacked brick refractory (NG)
8KX-LP-SJ	42" 8KX Gas Fireplace Top/Rear Vent with Intellifire Touch ignition and Serene Jute stacked brick refractory (LP)
8KX-TG	42" 8KX Gas Fireplace Top/Rear Vent with Intellifire Touch ignition and Tranquil Greige herringbone refractory (NG)
8KX-LP-TG	42" 8KX Gas Fireplace Top/Rear Vent with Intellifire Touch ignition and Tranquil Greige herringbone refractory (LP)
8KX-TG-BIR	42" 8KX Gas Fireplace Top/Rear Vent with Intellifire Touch ignition and Tranquil Greige herringbone refractory and Birch Logs (NG)
8KX-BL	42" 8KX Gas Fireplace Top/Rear Vent with Intellifire Touch ignition and 2 Sided Reflective and Matte Black Glass Liner (NG)
8KX-BL-BIR	42" 8KX Gas Fireplace Top/Rear Vent with Intellifire Touch ignition and 2 Sided Reflective and Matte Black Glass Liner and Birch Logs (NG)
8KX-CU	42" Gas Fireplace Top/Rear Vent with Intellifire Touch ignition and Calm Umber stacked brick refractory (NG)
8KMOD	42" 8K Modern Gas Fireplace Top Vent Only with Intellifire Touch Ignition and 2 Sided Reflective and Matte Black Glass Liner(NG)
SKU	ACCESSORIES - FRONTS
FOLIO-8-BK	42" Folio inside fit front - Black
STUDIO-8-BK	42" Studio overlap front - Black
STUDIO-8-GM	42" Studio overlap front - Gun Metal
STUDIO-8-NB	42" Studio overlap front - New Bronze
PORTRAIT-8-BK	42" Portrait clean face overlap front - Black (Has taller mantel clearances unless Passive Heat is installed)
PORTRIM8-BR	42" Optional plated trim for Portrait front - Burnished Brass
PORTRIM8-CO	42" Optional plated trim for Portrait front - Vintage Copper
PORTRIM8-NI	42" Optional plated trim for Portrait front - Satin Nickel
LOFT-8-BK	42" Loft barn door overlap front - Black
LOFT-8-GM	42" Loft barn door overlap front - Gun Metal
LOFT-8-NB	42" Loft barn door overlap front - New Bronze
CHAPEL-8-BK	42" Chapel arched overlap front - Black
CHAPEL-8-GM	42" Chapel arched overlap front - Gun Metal
CHAPEL-8-NB	42" Chapel arched overlap front - New Bronze
FORGE-8	42" Forge hand crafted overlap front with forged bars and straps, natural finish
SKU	ACCESSORIES - INTERIOR PANELS
BRICK-8K-TG	42" Tranquil Greige Herringbone, 3-piece brick interior panels
BRICK-8K-SJ	42" Serene Jute Stacked Brick, 3-piece brick interior panels
BRICK-8K-CU	42" Calm Umber Stacked Brick, 3-piece brick interior panels
BRICK-8KL-TG	42" Tranquil Greige Herringbone, 4-piece brick interior panels
BRICK-8KL-SJ	42" Serene Jute Stacked Brick, 4-piece brick interior panels
BRICK-8KL-CU	42" Calm Umber Stacked Brick, 4-piece brick interior panels
BRICK-8KX-TG	42" Tranquil Greige Herringbone, 4-piece brick interior panels
BRICK-8KX-SJ	42" Serene Jute Stacked Brick, 4-piece brick interior panels
BRICK-8KX-CU	42" Calm Umber Stacked Brick, 4-piece brick interior panels
GL-42M	42" 2-Sided Reflective and Matte Black Glass Liner for K Series
GL-42MX	42" 2-Sided Reflective and Matte Black Glass Liner for KL and KX Series
SKU	ACCESSORIES - BIRCH LOGS
LOGS-8-BIR	Birch Logs for 8K, KL and KX

## 8K SERIES SKU LIST &amp; DESCRIPTIONS, CONT'D

SKU	8K MODERN MEDIA
MEDIA-CY	Crystal glass media (1 bag = 5lbs) 2 bags for 36", 3 bags for 42"
MEDIA-GT	Graphite glass media (1 bag = 5lbs) 2 bags for 36", 3 bags for 42"
MEDIA-CP	Copper glass media (1 bag = 5lbs) 2 bags for 36", 3 bags for 42"
MEDIA-SM	Smoked glass media (1 bag = 5lbs) 2 bags for 36", 3 bags for 42"
STONES-KMOD	Stone kit for 36" and 42" modern fireplace
LOGS-KMOD	Driftwood log set for 36" and 42" modern fireplace
SKU	ACCESSORIES - HEAT MANAGEMENT
PH-MR	Passive Heat Kit (includes starting collars; requires side or front trim kit below or use open top chase)
PH-SIDETRIM	Passive Heat vent trim for side discharge (includes two side registers; requires PH-MR)
PH-FRTTRIM-36	Passive Heat vent trim for front discharge (includes 36" wide Slim Register Cover; requires PH-MR)
HEAT-OUT-GAS	Heat-Out kit (includes termination cap, 25' of 6" round duct, fireplace adapter, damper, wall switch and 350CFM fan at termination)
HEAT-ZONE-GAS	Heat-Zone kit (includes fan, 20' of 6" round duct, vent, wall adapter and on/off control): Requires HZMR-ADP to complete when not pairing with Passive Heat
HZMR-ADP	Required Adaptor for HEAT-ZONE-GAS when not being paired with Passive Heat
SKU	ACCESSORIES - CONTROL
BATTERY-WSK	Battery backup wall switch kit for units with IntelliFire Touch control systems. Includes: On/Off wall switch, USB-C Port, Battery Backup, Cover Plate, 12' Wire Harness
IFT-WFM	IntelliFire Wi-Fi Module that works with the IntelliFire iOS and Android app. Use to control all the features of your fireplace via a smart device. An RC400 or RC150 is required for thermostat control
IFT-ACM	IntelliFire Touch AUX Module. Must order if adding Fan, Lights or Power Vent and want to use the IFT-WFM. Do not need to order if using IFT-RC400 (includes IFT-ACM).
IFT-RC400	IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicator, lights, on-screen maintenance and troubleshooting notifications)
IFT-RC150-HNG	IntelliFire Touch white wireless wall switch (on/off, cold climate, battery strength indicator)
GFK-160A	Fan kit 160 CFM (includes rheostat and temperature sensor)
GFK-160C	Fan Kit 160 CFM (fan only)
LPK-MID	LP Conversion kit (cannot be used with modern units)

## SELLING TOOLS

- Product brochure
- New product introduction sheet
- MSRP page
- POS: Showroom sell cards, IntelliFire Touch scream card, Passive Heat scream card, Passive Heat ruler
- myhht.com sales app update
- Heat management video
- Heat management poster
- myHHT estimator app